




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : C12N 15/52, 15/62, 9/00, 15/81, 1/19, C12P 19/62		A3	(11) International Publication Number: <b>WO 98/01546</b> (43) International Publication Date: 15 January 1998 (15.01.98)
(21) International Application Number: PCT/GB97/01819		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 4 July 1997 (04.07.97)		Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	
(30) Priority Data: 9614189.0 5 July 1996 (05.07.96) GB 60/024,188 19 August 1996 (19.08.96) US 9710962.3 28 May 1997 (28.05.97) GB		(71) Applicant (for all designated States except US): BIOTICA TECHNOLOGY LIMITED [GB/GB]; 112 Hills Road, Cambridge CB2 1PH (GB).	
(72) Inventors; and (75) Inventors/Applicants (for US only): LEADLAY, Peter, Francis [GB/GB]; 17 Clarendon Road, Cambridge CB2 2BH (GB). STAUNTON, James [GB/GB]; 29 Porson Road, Cambridge CB2 1ET (GB). CORTES, Jesus [MX/GB]; 26 Cambanks, Union Lane, Cambridge CB4 1PZ (GB).		(74) Agents: STUART, Ian et al.; Mewburn Ellis, York House, 23 Kingsway, London WC2B 6HP (GB).	
		(88) Date of publication of the international search report: 9 April 1998 (09.04.98)	

## (54) Title: POLYKETIDES AND THEIR SYNTHESIS



BEST AVAILABLE COPY

## (57) Abstract

A hybrid type I polyketide synthase gene typically containing a starter module and a plurality of heterologous extender modules is used to synthesise novel polyketides. It is preferably under the control of a type II polypolyketide synthase promoter e.g. act I of *S. coelicolor*.